





30200 Series



基本型番	主要寸法						取付寸法			
	d		D		T		B		C	
	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
30203	17	0.6693	40	1.5748	13.25	0.5217	12	0.4724	11	0.4331
30204	20	0.7874	47	1.8504	15.25	0.6004	14	0.5512	12	0.4724
30205	25	0.9843	52	2.0472	16.25	0.6398	15	0.5906	13	0.5118
30206	30	1.1811	62	2.4409	17.25	0.6791	16	0.6299	14	0.5512
30207	35	1.3780	72	2.8346	18.25	0.7185	17	0.6693	15	0.5906
30208	40	1.5748	80	3.1496	19.25	0.7579	18	0.7087	16	0.6299
30209	45	1.7717	85	3.3465	20.75	0.8169	19	0.7480	16	0.6299
30210	50	1.9685	90	3.5433	21.75	0.8563	20	0.7874	17	0.6693
30211	55	2.1654	100	3.9370	22.75	0.8957	21	0.8268	18	0.7087
30212	60	2.3622	110	4.3307	23.75	0.9350	22	0.8661	19	0.7480
30213	65	2.5591	120	4.7244	24.75	0.9744	23	0.9055	20	0.7874
30214	70	2.7559	125	4.9213	26.50	1.0433	24	0.9449	21	0.8268
30215	75	2.9528	130	5.1181	27.50	1.0827	25	0.9843	22	0.8661
30216	80	3.1496	140	5.5118	28.25	1.1122	26	1.0236	22	0.8661
30217	85	3.3465	150	5.9055	30.50	1.2008	28	1.1024	24	0.9449
30218	90	3.5433	160	6.2992	32.50	1.2795	30	1.1811	26	1.0236
30219	95	3.7402	170	6.6929	34.50	1.3583	32	1.2598	27	1.0630
30220	100	3.9370	180	7.0866	37.00	1.4567	34	1.3386	29	1.1417
30221	105	4.1339	190	7.4803	39.00	1.5354	36	1.4173	30	1.1811
30222	110	4.3307	200	7.8740	41.00	1.6142	38	1.4961	32	1.2598
30224	120	4.7244	215	8.4646	43.50	1.7126	40	1.5748	34	1.3386
30226	130	5.1181	230	9.0551	43.75	1.7224	40	1.5748	34	1.3386
30228	140	5.5118	250	9.8425	45.75	1.8012	42	1.6535	36	1.4173

基本型番	取付寸法			基本定格荷重		作用点	許容回転数		重量	
	da (min)		db (max)		Da (max)		Cr		Cor	
	mm	inch	mm	inch	mm	inch	KN	KN	a	mm
30203	22.5	0.886	23.0	0.906	34.5	1.358	20.91	21.92	9.9	9900
30204	25.5	1.004	27.0	1.063	41.5	1.634	28.49	30.60	11.2	8800
30205	30.5	1.201	31.0	1.220	46.5	1.831	32.67	36.97	12.5	7300
30206	35.5	1.398	37.0	1.457	56.5	2.224	43.58	50.48	13.8	6300
30207	43.5	1.713	44.0	1.732	63.5	2.500	54.28	63.47	15.3	5500
30208	48.5	1.909	49.0	1.929	71.5	2.815	62.95	73.92	16.9	4900
30209	53.5	2.106	54.0	2.126	76.5	3.012	67.84	83.58	18.6	4400
30210	58.5	2.303	58.0	2.283	81.5	3.209	73.26	92.10	20.0	4000
30211	65.0	2.559	64.0	2.520	91.5	3.602	90.51	113.70	21.0	3600
30212	70.0	2.756	70.0	2.756	101.5	3.996	102.85	130.07	22.0	3400
30213	75.0	2.953	77.0	3.031	111.5	4.390	118.81	152.69	23.5	3100
30214	80.0	3.150	81.0	3.189	116.5	4.587	131.70	173.73	25.5	2900
30215	85.0	3.346	85.0	3.346	121.5	4.783	138.06	185.45	27.0	2800
30216	92.0	3.622	91.0	3.583	130.0	5.118	159.43	212.95	27.5	2600
30217	97.0	3.819	97.0	3.819	140.0	5.512	176.34	236.95	30.0	2400
30218	102.0	4.016	103.0	4.055	150.0	5.906	198.94	269.72	32.0	2200
30219	109.0	4.291	110.0	4.331	158.0	6.220	255.76	309.23	34.0	2200
30220	114.0	4.488	116.0	4.567	168.0	6.614	258.00	335.00	36.0	2000
30221	119.0	4.685	122.0	4.803	178.0	7.008	287.00	380.00	38.1	1900
30222	128.0	5.039	129.0	5.079	188.0	7.402	325.00	435.00	40.1	1800
30224	138.0	5.433	141.0	5.551	203.0	7.992	345.00	470.00	44.4	1700
30226	151.0	5.945	151.0	5.945	216.0	8.504	375.00	505.00	45.8	1500
30228	161.0	6.339	164.0	6.457	236.0	9.291	390.00	515.00	48.9	1400


30300 Series



基本型番	主要寸法						取付寸法			
	<i>d</i>		<i>D</i>		<i>T</i>		<i>B</i>		<i>C</i>	
	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
30302	15	0.5906	42	1.6535	14.25	0.5610	13	0.5118	11	0.4331
30303	17	0.6693	47	1.8504	15.25	0.6004	14	0.5512	12	0.4724
30304	20	0.7874	52	2.0472	16.25	0.6398	15	0.5906	13	0.5118
30305	25	0.9843	62	2.4409	18.25	0.7185	17	0.6693	15	0.5906
30306	30	1.1811	72	2.8346	20.75	0.8169	19	0.7480	16	0.6299
30307	35	1.3780	80	3.1496	22.75	0.8957	21	0.8268	18	0.7087
30308	40	1.5748	90	3.5433	25.25	0.9941	23	0.9055	20	0.7874
30309	45	1.7717	100	3.9370	27.25	1.0728	25	0.9843	22	0.8661
30310	50	1.9685	110	4.3307	29.25	1.1516	27	1.0630	23	0.9055
30311	55	2.1654	120	4.7244	31.50	1.2402	29	1.1417	25	0.9843
30312	60	2.3622	130	5.1181	33.50	1.3189	31	1.2205	26	1.0236
30313	65	2.5591	140	5.5118	36.00	1.4173	33	1.2992	28	1.1024
30314	70	2.7559	150	5.9055	38.00	1.4961	35	1.3780	30	1.1811
30315	75	2.9528	160	6.2992	40.00	1.5748	37	1.4567	30	1.1811
30316	80	3.1496	170	6.6929	42.50	1.6732	39	1.5354	33	1.2992
30317	85	3.3465	180	7.0866	44.50	1.7520	41	1.6142	34	1.3386
30318	90	3.5433	190	7.4803	46.50	1.8307	43	1.6929	36	1.4173
30319	95	3.7402	200	7.8740	49.50	1.9488	45	1.7717	38	1.4961
30320	100	3.9370	215	8.4646	51.50	2.0276	47	1.8504	39	1.5354
30321	105	4.1339	225	8.8583	53.50	2.1063	49	1.9291	41	1.6142
30322	110	4.3307	240	9.4488	54.50	2.1457	50	1.9685	42	1.6535
30324	120	4.7244	260	10.2362	59.50	2.3425	55	2.1654	46	1.8110

基本型番	取付寸法						基本定格荷重		作用点	許容回転数		重量	
	$da_{(min)}$		$db_{(max)}$		$Da_{(max)}$		C_r	C_{or}	a	Grease	Oil	Weight	
	mm	inch	mm	inch	mm	inch	KN	KN	mm	rpm	rpm	lbs	kg
30302	20.5	0.807	22.0	0.866	36.5	1.437	23.2	21.6	9.6	9900	13000	0.207	0.094
30303	22.5	0.886	24.0	0.945	41.5	1.634	28.9	27.2	10.4	9000	12000	0.284	0.129
30304	31.0	1.220	27.0	1.063	44.0	1.732	35.5	34.0	11.1	8000	11000	0.363	0.165
30305	33.5	1.319	34.0	1.339	54.0	2.126	48.5	48.1	13.0	6700	8900	0.579	0.263
30306	38.5	1.516	40.0	1.575	63.5	2.500	60.0	63.1	15.3	5700	7600	0.851	0.387
30307	45.0	1.772	45.0	1.772	71.5	2.815	75.3	82.6	16.8	5000	6700	1.133	0.515
30308	50.0	1.969	52.0	2.047	81.5	3.209	91.5	107.6	19.5	4400	5900	1.643	0.747
30309	55.0	2.165	59.0	2.323	91.5	3.602	111.0	129.8	21.3	4000	5300	2.165	0.984
30310	62.0	2.441	65.0	2.559	100.0	3.937	133.0	152.0	23.0	3600	4800	2.882	1.310
30311	67.0	2.638	71.0	2.795	110.0	4.331	155.0	179.0	24.5	3300	4400	3.652	1.660
30312	74.0	2.913	77.0	3.031	118.0	4.646	183.0	214.0	26.5	3000	4000	4.532	2.060
30313	79.0	3.110	83.0	3.268	128.0	5.039	203.0	238.0	28.5	2800	3700	5.610	2.550
30314	84.0	3.307	89.0	3.504	138.0	5.433	230.0	272.0	30.0	2600	3500	6.732	3.060
30315	89.0	3.504	95.0	3.740	148.0	5.827	255.0	305.0	32.0	2400	3200	7.854	3.570
30316	94.0	3.701	102.0	4.016	158.0	6.220	297.0	350.0	34.0	2300	3000	9.702	4.410
30317	103.0	4.055	107.0	4.213	166.0	6.535	305.0	365.0	35.5	2100	2900	11.440	5.200
30318	108.0	4.252	113.0	4.449	176.0	6.929	270.0	320.0	37.5	1940	2640	13.266	6.030
30319	113.0	4.449	118.0	4.646	186.0	7.323	296.0	355.0	40.0	1900	2530	15.356	6.980
30320	118.0	4.646	127.0	5.000	201.0	7.913	365.0	445.0	41.5	1800	2400	18.832	8.560
30321	126.0	4.961	133.0	5.236	211.0	8.307	455.0	565.0	43.2	1700	2300	20.988	9.520
30322	131.0	5.157	143.0	5.630	226.0	8.898	485.0	595.0	45.1	1600	2200	24.251	11.000
30324	141.0	5.551	154.0	6.063	246.0	9.685	535.0	655.0	50.0	1500	2000	30.644	13.900



32000 Series



基本型番	主要寸法						取付寸法			
	d		D		T		B		C	
	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
32004	20	0.7874	42	1.6535	15	0.5906	15	0.5906	12.0	0.4724
32005	25	0.9843	47	1.8504	15	0.5906	15	0.5906	11.5	0.4528
32006	30	1.1811	55	2.1654	17	0.6693	17	0.6693	13.0	0.5118
32007	35	1.3780	62	2.4409	18	0.7087	18	0.7087	14.0	0.5512
32008	40	1.5748	68	2.6772	19	0.7480	19	0.7480	14.5	0.5709
32009	45	1.7717	75	2.9528	20	0.7874	20	0.7874	15.5	0.6102
32010	50	1.9685	80	3.1496	20	0.7874	20	0.7874	15.5	0.6102
32011	55	2.1654	90	3.5433	23	0.9055	23	0.9055	17.5	0.6890
32012	60	2.3622	95	3.7402	23	0.9055	23	0.9055	17.5	0.6890
32013	65	2.5591	100	3.9370	23	0.9055	23	0.9055	17.5	0.6890
32014	70	2.7559	110	4.3307	25	0.9843	25	0.9843	19.0	0.7480
32015	75	2.9528	115	4.5276	25	0.9843	25	0.9843	19.0	0.7480
32016	80	3.1496	125	4.9213	29	1.1417	29	1.1417	22.0	0.8661
32017	85	3.3465	130	5.1181	29	1.1417	29	1.1417	22.0	0.8661
32018	90	3.5433	140	5.5118	32	1.2598	32	1.2598	24.0	0.9449
32019	95	3.7402	145	5.7087	32	1.2598	32	1.2598	24.0	0.9449
32020	100	3.9370	150	5.9055	32	1.2598	32	1.2598	24.0	0.9449
32021	105	4.1339	160	6.2992	35	1.3780	35	1.3780	26.0	1.0236
32022	110	4.3307	170	6.6929	38	1.4961	38	1.4961	29.0	1.1417
32024	120	4.7244	180	7.0866	38	1.4961	38	1.4961	29.0	1.1417
32026	130	5.1181	200	7.8740	45	1.7717	45	1.7717	34.0	1.3386
32028	140	5.5118	210	8.2677	45	1.7717	45	1.7717	34.0	1.3386
32030	150	5.9055	225	8.8583	48	1.8898	48	1.8898	36.0	1.4173
32032	160	6.2992	240	9.4488	51	2.0079	51	2.0079	38.0	1.4961
32034	170	6.6929	260	10.2362	57	2.2441	57	2.2441	43.0	1.6929

基本型番	取付寸法			基本定格荷重		作用点	許容回転数		重量	
	da (min)		db (max)		Da (max)		Cr	Cor	a	
	mm	inch	mm	inch	mm	inch	KN	KN	mm	
32004	24.5	0.965	25	0.984	37.5	1.476	24.9	27.9	10.5	
32005	29.5	1.161	30	1.181	42.5	1.673	27.8	33.5	12.0	
32006	35.5	1.398	35	1.378	49.5	1.949	37.5	46.5	13.5	
32007	40.5	1.594	40	1.575	56.5	2.224	41.5	52.5	15.5	
32008	45.5	1.791	46	1.811	62.5	2.461	50.0	65.5	15.0	
32009	50.5	1.988	51	2.008	69.5	2.736	57.5	76.5	16.5	
32010	55.5	2.185	56	2.205	74.5	2.933	62.5	88.0	17.5	
32011	63.5	2.500	63	2.480	81.5	3.209	80.5	118.0	20.0	
32012	68.5	2.697	67	2.638	86.5	3.406	82.0	123.0	21.0	
32013	73.5	2.894	72	2.835	91.5	3.602	83.0	128.0	22.5	
32014	78.5	3.091	78	3.071	101.5	3.996	105.0	160.0	24.0	
32015	83.5	3.287	83	3.268	106.5	4.193	106.0	167.0	25.5	
32016	88.5	3.484	89	3.504	116.5	4.587	139.0	216.0	27.0	
32017	93.5	3.681	94	3.701	121.5	4.783	142.0	224.0	28.5	
32018	100.0	3.937	100.0	3.937	131.5	5.177	168.0	270.0	30.0	
32019	105.0	4.134	105.0	4.134	136.5	5.374	171.0	280.0	31.5	
32020	110.0	4.331	109.0	4.291	141.5	5.571	170.0	281.0	32.5	
32021	120.0	4.724	115.0	4.528	150.0	5.906	204.0	340.0	34.3	
32022	125.0	4.921	121.0	4.764	160.0	6.299	236.0	390.0	35.9	
32024	135.0	5.315	131.0	5.157	170.0	6.693	245.0	420.0	39.7	
32026	145.0	5.709	144.0	5.669	190.0	7.480	320.0	545.0	43.9	
32028	155.0	6.102	152.0	5.984	200.0	7.874	330.0	580.0	46.6	
32030	168.0	6.614	164.0	6.457	213.0	8.386	375.0	655.0	49.8	
32032	178.0	7.008	175.0	6.890	228.0	8.976	435.0	790.0	53.0	
32034	188.0	7.402	187.0	7.362	248.0	9.764	505.0	895.0	56.6	

32200 Series



基本型番	主要寸法						取付寸法			
	d		D		T		B		C	
	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch
32203	17	0.6693	40	1.5748	17.25	0.6791	16	0.6299	14	0.5512
32204	20	0.7874	47	1.8504	19.25	0.7579	18	0.7087	15	0.5906
32205	25	0.9843	52	2.0472	19.25	0.7579	18	0.7087	16	0.6299
32206	30	1.1811	62	2.4409	21.25	0.8366	20	0.7874	17	0.6693
32207	35	1.3780	72	2.8346	24.25	0.9547	23	0.9055	19	0.7480
32208	40	1.5748	80	3.1496	24.75	0.9744	23	0.9055	19	0.7480
32209	45	1.7717	85	3.3465	24.75	0.9744	23	0.9055	19	0.7480
32210	50	1.9685	90	3.5433	24.75	0.9744	23	0.9055	19	0.7480
32211	55	2.1654	100	3.9370	26.75	1.0531	25	0.9843	21	0.8268
32212	60	2.3622	110	4.3307	29.75	1.1713	28	1.1024	24	0.9449
32213	65	2.5591	120	4.7244	32.75	1.2894	31	1.2205	27	1.0630
32214	70	2.7559	125	4.9213	33.25	1.3091	31	1.2205	27	1.0630
32215	75	2.9528	130	5.1181	33.25	1.3091	31	1.2205	27	1.0630
32216	80	3.1496	140	5.5118	35.25	1.3878	33	1.2992	28	1.1024
32217	85	3.3465	150	5.9055	38.5	1.5157	36	1.4173	30	1.1811
32218	90	3.5433	160	6.2992	42.5	1.6732	40	1.5748	34	1.3386
32219	95	3.7402	170	6.6929	45.5	1.7913	43	1.6929	37	1.4567
32220	100	3.9370	180	7.0866	49	1.9291	46	1.8110	39	1.5354
32221	105	4.1339	190	7.4803	53	2.0866	50	1.9685	43	1.6929
32222	110	4.3307	200	7.8740	56	2.2047	53	2.0866	46	1.8110
32224	120	4.7244	215	8.4646	61.5	2.4213	58	2.2835	50	1.9685
32226	130	5.1181	230	9.0551	67.75	2.6673	64	2.5197	54	2.1260
32228	140	5.5118	250	9.8425	71.75	2.8248	68	2.6772	58	2.2835

基本型番	取付寸法			基本定格荷重		作用点	許容回転数		重量	
	da (min)		db (max)		Da (max)		Cr		Cor	
	mm	inch	mm	inch	mm	inch	KN	KN	a	mm
32203	22.5	0.886	23.0	0.906	34.5	1.358	27.3	28.3	11.5	9900
32204	25.5	1.004	26.0	1.024	41.5	1.634	36.5	39.5	12.5	8800
32205	30.5	1.201	31.0	1.220	46.5	1.831	42.0	47.0	14.0	7300
32206	35.5	1.398	37.0	1.457	56.5	2.224	54.5	64.0	15.5	6300
32207	43.5	1.713	43.0	1.693	63.5	2.500	72.5	87.0	17.5	5500
32208	48.5	1.909	48.0	1.890	71.5	2.815	79.5	93.5	19.0	4900
32209	53.5	2.106	53.0	2.087	76.5	3.012	82.0	100.0	20.0	4400
32210	58.5	2.303	58.0	2.283	81.5	3.209	87.5	109.0	21.0	4000
32211	65.0	2.559	63.0	2.480	91.5	3.602	108.0	134.0	22.5	3600
32212	70.0	2.756	69.0	2.717	101.5	3.996	130.0	164.0	25.0	3400
32213	75.0	2.953	75.0	2.953	111.5	4.390	159.0	206.0	27.0	3100
32214	80.0	3.150	80.0	3.150	116.5	4.587	166.0	220.0	28.5	2900
32215	85.0	3.346	85.0	3.346	121.5	4.783	168.0	224.0	30.0	2800
32216	92.0	3.622	90.0	3.543	130.0	5.118	199.0	265.0	31.0	2600
32217	97.0	3.819	96.0	3.780	140.0	5.512	224.0	300.0	33.5	2400
32218	102.0	4.016	102.0	4.016	150.0	5.906	262.0	360.0	36.0	2200
32219	109.0	4.291	108.0	4.252	158.0	6.220	299.0	415.0	39.0	2200
32220	114.0	4.488	114.0	4.488	168.0	6.614	330.0	465.0	41.5	2000
32221	123.0	4.843	120.0	4.724	178.0	7.008	380.0	540.0	44.8	1900
32222	128.0	5.039	127.0	5.000	188.0	7.402	420.0	605.0	47.2	1800
32224	138.0	5.433	137.0	5.394	203.0	7.992	460.0	680.0	52.0	1700
32226	151.0	5.945	147.0	5.787	216.0	8.504	530.0	815.0	56.9	1500
32228	161.0	6.339	159.0	6.260	236.0	9.291	610.0	920.0	60.5	1400